

GPN422-51

Kontroll-Nr. --

2019.04.17. V.19 / 1.10.2016

GPN422-51			
Item	Item no.	Description	Quant.
1	009-116-10	Terminal R-2-4 CU	3
2	009-106-17	Terminal(EUR,NSU) R-8-6 CU	4
3	140-035-14	Hex.Bolt M6x20 SUS304	3
4	010-101-16	Cable Clip No.3 SPC	2
5	010-128-19	Cable Clip Rubber 75x80x2t NBR	1
6	141-004-17	Hex.Nut M6 SUS304	3
7	M01-TEG-41	Cabletyre Cable Set (20m) (N)SSHÖU 4x10+3x1,5ST (w/o St.Box) GPN 22kW	1
8	140-488-16	Hex.Bolt (w/Spring Washer) M6x30 SUS304 (EN X5Cr18-10)	4
9	006-127-15	Stuffing Box 380/400/415V-50Hz(EUR,NSU) No.3 FC	1
10	008-148-18	Mould Cover KR3-10 CR	1
11	070-107-18	Cable Clamp FC	1
12	140-035-14	Hex.Bolt M6x20 SUS304	2
13	143-041-12	Pan Screw M6x8 SWRM	1
14	009-106-17	Terminal(EUR,NSU) R-8-6 CU	2
	009-	Earth Terminal	1
15	141-004-59	Hex.Nut M6 SWRM	4
16	009-106-17	Terminal(EUR,NSU) R-8-6 CU	4
17	009-107-18	Terminal R-14-6 CU	6
18	002-000-18	Heat Shrink Tube (Sold per meter) W3F2(3/4IN) (V/m)	1
19	002-164-12	Heat Shrink Tube (Sold per meter)A4(d13x0.3t)(JPY /m)	1
20	200-000-23	Electrical tape(30M) 540S(0.18T-30Wx30M)	1
21	140-029-28	Hex.Bolt M6x10 SWRM	4
22	009-114-18	Connector PC-4020M	3
23	009-115-19	Connector PC-4020F	3
24	007-105-10	Gasket No. 3	1
25	140-427-17	Hex.Bolt (w/Plain Washer) M5x15 SUS304 (EN X5CrNi18-10)	2
26	003-175-19	Blind Cover LB SUS304 (EN X5CrNi18-10) Stainless Steel	1
27	121-000-01	Packing (Blind Cover) LB NBR	1
28	011-101-19	Shackle 6mm SS	1
29	095-132-19	Chain 4mm SS	1
30	072-125-47	Eye Bolt M20 SS	2
	142-	Washer	1
31	140-052-17	Hex.Bolt M8x16 SUS304	2
32	142-163-18	Spring Washer M8 SUS304	2
33	046-000-05	Air Release Valve GSZ/NKZ/B SPCC	1
34	121-151-18	Packing (Air Release Valve) P.C.80xd50 CR	1
35	203-058-11	Ball d28 SS	1
36	140-488-16	Hex.Bolt (w/Spring Washer) M8x30 SUS304 (EN X5Cr18-10)	4
37	214-000-03	Blind Cover 22-4BG3 FC	1
38	122-128-19	O-Ring G-85(84.4xd3.1) NBR	1
39	140-102-13	Hex.Bolt M12x55 SUS304	6
40	142-165-10	Spring Washer M12 SUS304	6
41	142-000-47	Washer M12(d12.5xd25.5x5t) SUS304 (EN X5Cr18-10)	6
42	121-513-12	Seal Packing (Fixing Plate Bolt) d11.5xd21x4t CR	6
43	217-000-22	Fixing Plate DL-30C FC	1
44	122-256-17	O-Ring 390xd5.7 NBR	1
45	122-158-18	O-Ring G-270(269.3xd5.7) NBR	1
46	035-113-18	Oil Plug M12x14 SUS304	1
47	121-247-12	Packing d12.3xd18x2t PE	1
48	140-100-11	Hex.Bolt M12x45 SUS304	6
49	142-165-10	Spring Washer M12 SUS304	6
50	050-000-73	Motor Bracket FC	1
51	122-160-13	O-Ring (MBracket/MFrame) G-290(289.3xd5.7) NBR	1
52	142-000-70	Wave Washer d83xd99x0.9t SK5	1
53	052-000-27	Bearing (w/O-ring) AC-6309ZZC3	1
54	016-000-04	Lead Wire Protection Bush d21xd52x11t SBR	2
55	058-000-21	Lead Wire Protection Plate d114xd290x3t SPCC	1
56	065-000-50	Outer Cover DL-30C,474L SGP	1
57	055-	Rotor and Shaft	1
58	147-	Impeller Key	1
59	053-001-67	Motor Protector YS11A135A-D20 (H)	3
60	056-	Stator	1
61	064-000-96	Motor Frame FC	1
62	140-102-13	Hex.Bolt M12x55 SUS304	6
63	142-165-10	Spring Washer M12 SUS304	6
64	142-427-13	Seal Washer WD-12 SPC+NBR	2
65	140-000-69	Hex.Bolt M12x25 SS	2
66	122-160-13	O-Ring (MBracket/MFrame) G-290(289.3xd5.7) NBR	1
67	140-000-68	Hex.Bolt M8x20 SS	4
68	062-000-16	Bearing Fixing Plate 6312(d118xd170x4.5t) SS	1
69	052-143-10	Bearing 6312ZZD2C3	1
70	146-034-11	Retaining RingC60 SK5	1
71	122-256-17	O-Ring 390xd5.7 NBR	1
72	140-129-16	Hex.Bolt M16x65 SUS304 (EN X5CrNi18-10) Stainless Steel	6
73	142-166-11	Spring Washer M16 SUS304	6
74	060-001-83	Bearing Housing GPN622-51/61 FC	1
75	122-259-10	O-Ring 12xd3 NBR	2
76	035-102-30	Oil Plug M12x16(B=21) SUS304	2
77	122-256-17	O-Ring 390xd5.7 NBR	1
78	090-122-11	Leakage Sensor(Electrode) d9x43L SUS	1
79	003-151-19	Gland(for Leak Sensor) SPC	1
80	142-161-32	Spring Washer M5 SWRH	2


GPN422-51

Kontroll-Nr. --

2019.04.17. V.19 / 1.10.2016

GPN422-51			
Item	Item no.	Description	Quant.
81	140-000-67	Hex.Bolt M5x20 SS	2
82	025-000-65	Mechanical Seal H-50T SIC	1
83	143-028-13	Pan Screw M5x10 SWRM	3
84	030-133-19	Oil Lifter H-50(T) SPCC	1
85	122-261-15	O-Ring 255xd3.8 NBR	1
86	029-000-94	Oil Casing GPN422 FC	1
87	142-165-10	Spring Washer M12 SUS304	6
88	140-098-15	Hex.Bolt M12x35 SUS304	6
89	026-115-12	Oil Seal TC-608212 NBR	1
90	071-000-61	Shaft Sleeve GPN622-51/61 SUS403 (EN-X6Cr13)	1
91	140-101-12	Hex.Bolt M12x50 SUS304 (EN X5CrNi18-10) Stainless Steel	6
92	032-204-18	Hose Coupling 100mm(NKZ2) FC	1
93	121-184-10	Packing NKZ-6 NBR	1
94	020-003-18	Pump Casing GPN622-51/61 FC	1
	040-123-17	Impeller Shim d45.2xd59x0.3t SUS304 (EN X5CrNi18-10) Stainless Steel	1
95	021-	Impeller	1
96	024-000-05	Connection Rod GPN622-51/61 FCMB	1
97	024-120-14	Stirrer GPN-80 HiCrFC	1
98	142-130-29	Plain Washer M16 SPC	1
99	140-140-13	Hex.Bolt M16x150 SUS304 (EN X5CrNi18-10)	1
100	122-270-17	O-Ring 350xd5.7 NBR	1
101	033-000-02	Suction Plate GPN622-51/61 HiCrFC	1
102	122-145-12	O-Ring G-170(169.3xd5.7) NBR	1
103	140-001-09	Square Bolt M8x40 SUS304 (EN X5CrNi18-10)	3
104	022-001-85	Suction Cover GPN622-51/61 FC	1
105	141-005-18	Hex.Nut M8 SUS304 (EN X5CrNi18-10)	3
106	140-058-42	Hex.Bolt M8x40 SUS304 (EN X5CrNi18-10) Stainless Steel	3
107	142-163-18	Spring Washer M8 SUS304	3
108	141-005-18	Hex.Nut M8 SUS304 (EN X5CrNi18-10)	3
109	142-165-10	Spring Washer M12 SUS304	6
110	140-098-15	Hex.Bolt M12x35 SUS304	6
111	023-001-83	Strainer Stand GPN622-51/61 SGP+SPC	1
112	142-166-11	Spring Washer M16 SUS304	8
113	140-124-11	Hex.Bolt M16x40 SUS304 (EN X5Cr18-10)	8
	173-003-45	Packing & O-Ring Set	1
	##oilVG32	ml Turbine Oil ISO VG32	3600

Exploded View GPN422-51



GPN422-51